ON-SITE HEALTH & SAFETY SKILLS VERIFICATION

Orthostatic Vitals Assessment

Technician:			
Date:		Points Possible	Points Given
Verbalizes purpose of orthostatic vitals		1	
Verbalizes need for orthostatic vitals:			
-Heat Illness	-Unknown Illness	6	
-Head Injury	-Electric Shock		
-Dizziness/Nausea	-ALOC		
Brings necessary supplies:			
-PB cuff	-Stethoscope	5	
-Cleaning wipes	-Watch/Timer		
-Yoga mat	vimeter not permitted for Orthoctatic Vitals assessment***		
Must use manual devices. Auto cuffs and pulse oximeter not permitted for Orthostatic Vitals assessment Takes or verbalizes PPE precautions		1	
Clean BP cuff, stethoscope, and yoga mat		1	
Take Vitals: Blood Pressure, Pulse, Respiratory Rate			
-Laying flat after a 5 minute wait			
-Sitting in a chair, feet flat on the floor after 1 minute wait			
-Standing up straight after 1 minute (do not lock legs)		3	
Markalta markita markita			
Verbalize positive results: -BP drops in systolic of 20mmhg	PD draps in diastolic of 10mmhs	4	
-Pulse increases by 20bpm	-BP drops in diastolic of 10mmhg -Pulse id over 110bpm	4	
*** Positive results must be reported to Injury Mana	·		
Reassess as needed or continue with injury report/assessment		1	
	Total	22	
CRITICAL CRITERIA			
<u> </u>			
☐ Failure to take PPE precautions			
☐ Failure to use manual devices			
 Demonstrates unacceptable BP cuff place 	ement		
☐ Demonstrates unacceptable stethoscope placement			
☐ Demonstrates inability to accurately measure blood pressure			
☐ Demonstrates inability to accurately assess heart rate			
☐ Demonstrates inability to accurately assess respiratory rate			
 □ Failure to wait required time increments for different positions □ Failure to verbalize call in to Injury Manager for positive results 			
☐ Failure to verbalize call in to Injury Mana	ager for positive results		
Must get total of at least 18 points with no n	narks in the critical criteria to pass		
Evaluator Name & Signature:		_	
Technician Signature:			
recimician dignature.			